Safety Data Sheet

according to Regulation (EU) 2015/830 Date of issue: 14/07/2016 Revision date: 22/05/2017

ate: 22/05/2017

Supersedes: 14/07/2016

Version: 2.0

	5 13306. 14/01/2010 Revision date. 22/03/2011 Supersedes. 14/01/2010 Version. 2.0	
SECTION 1: Identification of the su	ubstance/mixture and of the company/undertaking	
1.1. Product identifier		
Product form	: Mixture	
Trade name	: Det&Rinse ECO	
Product code	: DB1018A0	
1.2. Relevant identified uses of the su	ibstance or mixture and uses advised against	
1.2.1. Relevant identified uses		
Main use category	: Detergents	
Industrial/Professional use spec	: Professional	
Use of the substance/mixture	: Oven cleaners	
1.2.2.Uses advised againstAny use that is not described in this sheet and	d technical document is to be considered incorrect/not recommended	
1.3. Details of the supplier of the safe	ty data sheet	
UNOX SpA		
VIA MAJORANA ,22 35010 Cadoneghe - Italy T +39 049 86.57.511 - F +39 049 86.57.555 Det.Rinse@unox.it		
1.4. Emergency telephone number		
Emergency number	: (+)1 760 476 3961 24/24 (Access code: 334577)	
SECTION 2: Hazards identification		
2.1. Classification of the substance of		
Classification according to Regulation (EC) NO. 1272/2008 [CLP]	
Corrosive to metals, Category 1 H290 Skin corrosion/irritation, Category 1A H314		
Full text of H statements : see section 16		
Adverse physicochemical, human health a No additional information available	nd environmental effects	
2.2. Label elements		
Labelling according to Regulation (EC) No	. 1272/2008 [CLP]	
Hazard pictograms (CLP)		
	GHS05	
Signal word (CLP)	: Danger	
Hazardous ingredients	: potassium hydroxide, caustic potash	
Hazard statements (CLP)	: H290 - May be corrosive to metals H314 - Causes severe skin burns and eye damage	
Precautionary statements (CLP)	 P301+P330+P331 - IF SWALLOWED: Rinse mouth. Do NOT induce vomiting P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing P310 - Immediately call a POISON CENTER P303+P361+P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water Take a shower P363 - Wash contaminated clothing before reuse P501 - Dispose of contents and container to comply with applicable local, national and international regulation. 	

Safety Data Sheet

according to Regulation (EU) 2015/830

2.3. Other hazards not contributing to the classification

No additional information available

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]	
potassium hydroxide, caustic potash	(CAS-No.) 1310-58-3 (EC-No.) 215-181-3 (EC Index-No.) 019-002-00-8 (REACH-no) 01-2119487136-33	15	Met. Corr. 1, H290 Acute Tox. 4 (Oral), H302 Skin Corr. 1A, H314	
Heptyl D-glucoside	(CAS-No.) 100231-64-9 (EC-No.) 309-364-8 (REACH-no) Not available	4 - 6	Eye Dam. 1, H318	
Alkane C6-C8 (even numbered), 1-sulphonic acid, sodium salt	(EC-No.) 939-625-7 (REACH-no) 01-2119985168-23	1 - 2	Acute Tox. 4 (Oral), H302 Skin Irrit. 2, H315 Eye Irrit. 2, H319	
Oxirane, 2-methyl-, polymer with oxirane, mono(2- propylheptyl) ether	(EC-No.) 944-523-0 (REACH-no) Exempt	1.5	Skin Irrit. 2, H315 Eye Irrit. 2, H319	
Specific concentration limits:				
Name	Product identifier	Specific o	Specific concentration limits	
potassium hydroxide, caustic potash	(CAS-No.) 1310-58-3 (EC-No.) 215-181-3 (EC Index-No.) 019-002-00-8 (REACH-no) 01-2119487136-33	(0.5 = <c <<br="">(2 =<c 5)<="" <="" td=""><td>2) Eye Irrit. 2, H319 2) Skin Irrit. 2, H315) Skin Corr. 1B, H314 in Corr. 1A, H314</td></c></c>	2) Eye Irrit. 2, H319 2) Skin Irrit. 2, H315) Skin Corr. 1B, H314 in Corr. 1A, H314	

Full text of H-statements: see section 16

SECTION 4: First aid measures		
4.1. Description of first aid measures		
First-aid measures general : Self-protection of the first aider.		
First-aid measures after inhalation	: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Seek medical attention immediately.	
First-aid measures after skin contact	: Immediately rinse with plenty of water (for at least 15 minutes). Remove contaminated clothing immediately and dispose of safely. Wash contaminated clothing before reuse. Seek medical attention immediately.	
First-aid measures after eye contact	: In case of contact with eyes, rinse immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart. Subsequently consult an ophthalmologist. Remove contact lenses, if present and easy to do. Continue rinsing. Protect uninjured eye.	
First-aid measures after ingestion	: Immediately call a POISON CENTER or doctor/ physician. Never give anything by mouth to an unconscious person. Do not induce vomiting.	
4.2. Most important symptoms and effect	ts, both acute and delayed	
Symptoms/effects after inhalation	: Corrosive to respiratory system. Causes burns.	
Symptoms/effects after skin contact	: Causes severe burns.	
Symptoms/effects after eye contact : Causes serious eye damage. Corneal opacity. Iris lesions.		
Symptoms/effects after ingestion	: Severe irritation or burns to the mouth, throat, oesophagus, and stomach.	

4.3. Indication of any immediate medical attention and special treatment needed Keep under medical supervision for at least 48 hours. In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible).

SECTION 5: Firefighting measures	
5.1. Extinguishing media	
Suitable extinguishing media	: Water fog. carbon dioxide (CO2), dry chemical powder, foam.
Unsuitable extinguishing media	: Do not use water jet.
5.2. Special hazards arising from the substance or mixture	
Fire hazard	: On burning: release of (highly) toxic gases/vapours.
Explosion hazard	: None known.
Hazardous decomposition products in case of fire	: On combustion forms: carbon oxides (CO and CO2).

Safety Data Sheet

according to Regulation (EU) 2015/830

5.3. Advice for firefighters		
Precautionary measures fire	: Evacuate the personnel away from the fumes.	
Firefighting instructions	: Cool down the containers exposed to heat with a water spray. Move undamaged containers from immediate hazard area if it can be done safely.	
Protective equipment for firefighters	: Extra personal protection: complete protective clothing including self-contained breathing apparatus.	
Other information	: Do not allow run-off from fire fighting to enter drains or water courses.	
SECTION 6: Accidental release	measures	
6.1. Personal precautions, protecti	. Personal precautions, protective equipment and emergency procedures	
6.1.1. For non-emergency personnel		
Protective equipment	: Wear personal protection equipment. Do not attempt to take action without suitable protective equipment.	
Emergency procedures	: Immediately contact emergency personnel. Eliminate all ignition sources if safe to do so. Spilled material may present a slipping hazard.	
6.1.2. For emergency responders		
Protective equipment	 Wear suitable protective clothing, gloves and eye/face protection. Do not attempt to take action without suitable protective equipment. In presence of product's residue, total impervious protective suits, gloves, and boots must be worn. 	
Emergency procedures	 Evacuate unnecessary personnel. Eliminate all ignition sources if safe to do so. Spilled materia may present a slipping hazard. Avoid inhalation of vapours. Ventilate affected area. Consult an expert. 	
6.2. Environmental precautions		

Avoid release to the environment. Avoid sub-soil penetration. Relevant water authorities should be notified of any large spillage to water course or drain.

6.3.	Methods and material for containment and cleaning up		
For co	ntainment	: Stop leak if safe to do so. Recover small spills with a suitable absorbent, like diatomaceous earth. Recover large spills by pumping (use an explosion proof or hand pump).	
Metho	ds for cleaning up	: Ventilate affected area. Wear personal protection equipment. Collect in closed containers fo disposal. Wash with plenty of soap and water. Consult the appropriate authorities about was disposal. Wash contaminated area with large amounts of water.	
Other information		: Do not allow uncontrolled discharge of product into the environment.	
6.4.	Reference to other sections		

For disposal of residues refer to section 13: "Disposal considerations". For further information refer to section 8: "Exposure controls/personal protection".

SECTION 7: Handling and storage		
7.1. Precautions for safe handling		
Precautions for safe handling	: Avoid contact with skin and eyes. Avoid breathing mist or vapor. Keep away from sources of ignition - No smoking. Take any precaution to avoid mixing with Incompatible materials. Open and handle container with care. Ensure operatives are trained to minimise exposures. Avoid formation of vapours.	
Hygiene measures	: Do not eat, drink or smoke when using this product. Wash hands thoroughly after handling. Contaminated work clothing should not be allowed out of the workplace.	
7.2. Conditions for safe storage, including any incompatibilities		
Technical measures	: Provide adequate ventilation.	
Storage conditions	Store tightly closed in a dry, cool and well-ventilated place. Keep out of direct sunlight.	
Incompatible materials	Acids. alkali. oxidizing agents. Flammable materials. Peroxides.	
Heat and ignition sources	Keep away from open flames, hot surfaces and sources of ignition.	
Information on mixed storage	: Keep away from food, drink and animal feeding stuffs.	
momation on mixed storage	. Reep away norm lood, unink and animal reeding sturis.	
Storage area	: Use explosion-proof lighting equipment.	

No additional information available

SECTION 8: Exposure controls/personal protection 8.1. Control parameters potassium hydroxide, caustic potash (1310-58-3) Austria MAK (mg/m³) 2 mg/m³ Belgium Short time value (mg/m³) 2 mg/m³ Bulgaria OEL TWA (mg/m³) 2 mg/m³

Safety Data Sheet

according to Regulation (EU) 2015/830

potassium hydroxide, caustic potash (1310-58-3)		
Croatia	KGVI (kratkotrajna granična vrijednost izloženosti) (mg/m³)	2 mg/m³
Czech Republic	Expoziční limity (PEL) (mg/m ³)	1 mg/m³
Czech Republic	Expoziční limity (NPK-P) (mg/m ³)	2 mg/m³
Estonia	OEL TWA (mg/m³)	2 mg/m³
Finland	OEL Ceiling (mg/m ³)	2 mg/m ³
France	VLE (mg/m ³)	2 mg/m ³
Greece	OEL TWA (mg/m ³)	2
Greece	OEL STEL (mg/m ³)	2 mg/m³
Hungary	AK-érték	2 mg/m ³
Hungary	CK-érték	2 mg/m³
Ireland	OEL (15 min ref) (mg/m3)	2 mg/m ³
Poland	NDS (mg/m ³)	0.5 mg/m³
Poland	NDSCh (mg/m ³)	1 mg/m³
Poland	NDSP (mg/m ³)	2 mg/m ³
Spain	VLA-EC (mg/m ³)	2 mg/m ³
Sweden	nivågränsvärde (NVG) (mg/m³)	1
Sweden	kortidsvärde (KTV) (mg/m³)	2
United Kingdom	WEL STEL (mg/m ³)	2

8.2. Exposure controls

Appropriate engineering controls:

Provide adequate ventilation. A washing facility/water for eye and skin cleaning purposes should be present.

Personal protective equipment:

Safety glasses. Gloves. Protective clothing. An approved organic vapour respirator/supplied air or self-contained breathing apparatus must be used when vapour concentration exceeds applicable exposure limits.

Materials for protective clothing:

Rubbers. PVC (Polyvinyl chloride). Natural fibres (e.g. cotton). EN ISO 20344

Hand protection:

Chemical resistant gloves (according to European standard NF EN 374 or equivalent). Breakthrough time : > 480 min. Thickness of glove material: 0.4-0.5 mm. Chemical resistant gloves (nitrile-rubber, PVC, neoprene)

Eye protection:

Wear eye glasses with side protection according to EN 166. Do not wear contact lenses.

Skin and body protection:

Wear chemical resistant apron. EN 14605. Wear work clothes with long sleeves. EN ISO 20344

Respiratory protection:

An approved organic vapour respirator/supplied air or self-contained breathing apparatus must be used when vapour concentration exceeds applicable exposure limits. Wear a respirator conforming to EN140 with Type A/P2 filter or better. EN 14387. Combination filtering device (DIN EN 141)



SECTION 9: Physical and chemical properties			
9.1. Information on basic	physical and chemical properties		
Physical state	: Liquid		
Colour	: No data available		
Odour	: characteristic.		
Odour threshold	: No data available		
pН	: 13.5 at 24°C		
22/05/2017	EN (English)		

Safety Data Sheet

according to Regulation (EU) 2015/830

Relative evaporation rate (butylacetate=1)	: No data available
Melting point	: No data available
Freezing point	: No data available
Boiling point	: > 100 °C
Flash point	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Flammability (solid, gas)	: Not flammable
Vapour pressure	: No data available
Relative vapour density at 20 °C	: No data available
Relative density	: No data available
Density	: 1.1 - 1.25 kg/l
Solubility	: No data available
Log Pow	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosive properties	: Not explosive as none of the components is classified as explosive or oxidizing.
Oxidising properties	: Not oxidising.
Explosive limits	: No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity				
10.1.	Reactivity			
Reacts e	Reacts exothermically with (some) acids. Reacts with (strong) oxidizers.			
10.2.	Chemical stability			
Stable under normal conditions.				
10.3.	Possibility of hazardous reactions			
None under normal conditions.				
10.4.	Conditions to avoid			
Keep away from (strong) acids.				
10.5.	Incompatible materials			
Acids.				
10.6.	Hazardous decomposition products			
None kn	None known under normal conditions of use.			

SECTION 11: Toxicological information			
11.1. Information on toxicological effects			
Acute toxicity (oral)	: Not classified		
Acute toxicity (dermal)	: Not classified		
Acute toxicity (inhalation)	: Not classified		
potassium hydroxide, caustic potash (1310-5	potassium hydroxide, caustic potash (1310-58-3)		
LD50 oral rat	333 mg/kg		
Alkane C6-C8 (even numbered), 1-sulphonic	Alkane C6-C8 (even numbered), 1-sulphonic acid, sodium salt		
LD50 oral rat	1550 mg/kg		
LD50 dermal rat	> 2000 mg/kg		
Skin corrosion/irritation	: Causes severe skin burns and eye damage.		
	pH: 13.5 at 24°C		
Serious eye damage/irritation	: Serious eye damage, category 1, implicit		
	pH: 13.5 at 24°C		
Respiratory or skin sensitisation	: Not classified		
Germ cell mutagenicity	: Not classified		
Carcinogenicity	: Not classified		
Reproductive toxicity	: Not classified		

Safety Data Sheet

according to Regulation (EU) 2015/830

STOT-single exposure	: Not classified
STOT-repeated exposure	: Not classified
Aspiration hazard	: Not classified

SECTION 12: Ecological information			
12.1. Toxicity			
Acute aquatic toxicity	Not classified		
Chronic aquatic toxicity : Not classified			
potassium hydroxide, caustic potash (1310-58-3)			
LC50 fish 1	80 mg/I Gambusia affinis		
Alkane C6-C8 (even numbered), 1-sulphonic acid, sodium salt			
LC50 fish 1	10 - 100 mg/l		
EC50 Daphnia 1	10 - 100 mg/l		
EC50 72h Algae [mg/l] (1)	10 - 100 mg/l		

12.2. Persistence and degradability

potassium hydroxide, caustic potash (1310-58-3)					
Persistence and degradability	The methods for determining the biological degradability are not applicable to inorganic substances.				
Heptyl D-glucoside (100231-64-9)					
Persistence and degradability	Readily biodegradable.				
Biodegradation	82.52 % 28 days (OCDE 301F)				
12.3. Bioaccumulative potential	12.3. Bioaccumulative potential				
Det&Rinse ECO					
Bioaccumulative potential	Low bioaccumulation potential.				
potassium hydroxide, caustic potash (1310-58-3)					
Bioaccumulative potential	No bioaccumulation.				
Heptyl D-glucoside (100231-64-9)					
Log Pow	0.44				
12.4. Mobility in soil	12.4. Mobility in soil				
Det&Rinse ECO					
Ecology - soil	Expected to be highly mobile in soil.				
12.5. Results of PBT and vPvB assessment					
This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII					

12.6. Other adverse effects

No additional information available

SECTION 13: Disposal considerations				
13.1. Waste treatment methods				
Waste treatment methods	 Reuse or recycle following decontamination. External recovery and recycling of waste should comply with applicable local and/or national regulations. Recycling is preferred to disposal or incineration. 			
Product/Packaging disposal recommendations	: Dispose of this material and its container at hazardous or special waste collection point.			
HP Code	 HP4 - "Irritant — skin irritation and eye damage:" waste which on application can cause skin irritation or damage to the eye. HP8 - "Corrosive:" waste which on application can cause skin corrosion. 			

SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

ADR	IMDG	IATA	ADN	RID		
14.1. UN number						
1814	1814	1814	1814	1814		
14.2. UN proper shippi	14.2. UN proper shipping name					
POTASSIUM HYDROXIDE SOLUTION	POTASSIUM HYDROXIDE SOLUTION	Potassium hydroxide solution	POTASSIUM HYDROXIDE SOLUTION	POTASSIUM HYDROXIDE SOLUTION		
Transport document desc	Transport document description					
UN 1814 POTASSIUM HYDROXIDE SOLUTION,	UN 1814 POTASSIUM HYDROXIDE SOLUTION,	UN 1814 Potassium	UN 1814 POTASSIUM HYDROXIDE SOLUTION,	UN 1814 POTASSIUM HYDROXIDE SOLUTION,		
22/05/2017	EN (Er	nalish)		6/9		

Safety Data Sheet

14.6.

according to Regulation (EU) 2015/830

Special precautions for user

ADR	IMDG	ΙΑΤΑ	ADN	RID		
8, II, (E)	8, II	hydroxide solution, 8, II	8, II	8, II		
14.3. Transport hazard	class(es)					
8	8	8	8	8		
	6	8	8	8		
14.4. Packing group				· · · · ·		
П	II	II	П	П		
14.5. Environmental hazards						
Dangerous for the	Dangerous for the	Dangerous for the	Dangerous for the	Dangerous for the		
environment : No	environment : No Marine pollutant : No	environment : No	environment : No	environment : No		
	No supplementary information available					

- Overland transport	
Limited quantities (ADR)	: 11
Excepted quantities (ADR)	: E2
Orange plates	80 1814
Tunnel restriction code (ADR)	: E
EAC code	: 2R
- Transport by sea	
Limited quantities (IMDG)	: 1L
Excepted quantities (IMDG)	: E2
EmS-No. (Fire)	: F-A
EmS-No. (Spillage)	: S-B
Properties and observations (IMDG)	: Colourless liquid. Reacts with ammonium salts, evolving ammonia gas. Reacts with ammonium salts, evolving ammonia gas. Causes burns to skin, eyes and mucous membranes. Reacts violently with acids.
- Air transport	
PCA max net quantity (IATA)	: 1L
- Inland waterway transport	
Classification code (ADN)	: C5
Limited quantities (ADN)	: 1L
- Rail transport	
Limited quantities (RID)	: 1L
14.7. Transport in bulk according to	Annex II of Marpol and the IBC Code
Not applicable	
SECTION 15: Regulatory informa	ation
15.1. Safety, health and environment	tal regulations/legislation specific for the substance or mixture
15.1.1. EU-Regulations	
Contains no REACH substances with Anne Contains no substance on the REACH can	
Contains no REACH Annex XIV substance	S
Other information, restriction and prohibition regulations	 Regulation (EC) No. 648/2004 (Detergents regulation). Contains: 5% - 15 % non-ionic surfactants Contains: < 5% anionic surfactants, amphoteric surfactants, phosphonates.

Safety Data Sheet

according to Regulation (EU) 2015/830 15.1.2. National regulations

Germany

Germany		
VwVwS Annex reference	:	Water hazard class (WGK) 1, low hazard to waters (Classification according to VwVwS, Annex 4)
12th Ordinance Implementing the Federal Immission Control Act - 12.BImSchV	:	Is not subject of the 12. BImSchV (Hazardous Incident Ordinance)
Netherlands		
SZW-lijst van kankerverwekkende stoffen	:	Heptyl D-glucoside is listed
SZW-lijst van mutagene stoffen	:	Heptyl D-glucoside is listed
NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Borstvoeding	:	None of the components are listed
NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Vruchtbaarheid	:	None of the components are listed
NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Ontwikkeling	:	None of the components are listed
Denmark		
Recommendations Danish Regulation	:	Young people below the age of 18 years are not allowed to use the product

15.2. Chemical safety assessment

For the following substances of this mixture a chemical safety assessment has been carried out

For the following substances of this mixture a chemical safety assessment has been carried out

potassium hydroxide, caustic potash

SECTION 16: Other information

SDS	Safety Data Sheet						
	CAS - Chemical Abstracts Service						
	GHS - Globally Harmonised System						
	CSR - Chemical Safety Report						
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways						
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road						
DNEL	Derived-No Effect Level						
EC50	Median effective concentration						
IATA	International Air Transport Association						
IMDG	International Maritime Dangerous Goods						
LC50	Median lethal concentration						
LD50	Median lethal dose						
LOAEL	Lowest Observed Adverse Effect Level						
NOAEC	No-Observed Adverse Effect Concentration						
NOAEL	No-Observed Adverse Effect Level						
NOEC	No-Observed Effect Concentration						
OECD	Organisation for Economic Co-operation and Development						
RID Regulations concerning the International Carriage of Dangerous Goods by Rail							
	PVC (Polyvinyl chloride).						
PNEC	Predicted No-Effect Concentration						
PBT	Persistent Bioaccumulative Toxic						
vPvB	Very Persistent and Very Bioaccumulative						
ATE	Acute Toxicity Estimate						
BCF	Bioconcentration factor						
CLP	Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008						
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006						

 I his information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product. It is the user's responsibility to take mentioned precaution measures and ensure that this information is complete and sufficient for the use of this product.

Full text of H- and EUH-statements:

Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4	
Eye Dam. 1	Serious eye damage/eye irritation, Category 1	

Safety Data Sheet

according to Regulation (EU) 2015/830

Eye Irrit. 2	Serious eye da	Serious eye damage/eye irritation, Category 2		
Met. Corr. 1	Corrosive to me	etals, Category 1		
Skin Corr. 1A	Skin corrosion/	irritation, Category 1A		
Skin Irrit. 2	Skin corrosion/	irritation, Category 2		
H290	May be corrosi	May be corrosive to metals		
H302	Harmful if swall	Harmful if swallowed		
H314	Causes severe	Causes severe skin burns and eye damage		
H315	Causes skin irr	Causes skin irritation		
H318	Causes serious	Causes serious eye damage		
H319	Causes serious	Causes serious eye irritation		
Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:				
Met. Corr. 1	H290	H290 Expert judgment		
Skin Corr. 1A	H314	H314 On basis of test data		

SDS EU (REACH Annex II)

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product